

U n i Q u e

Outdoor Joinery Specialists And Fencing Suppliers

"Traditional Standards With Modern Techniques"

*UNIQUE are the go to supplier in Essex
for bespoke made to measure gates,
outdoor joinery and fencing.*



www.uniquebespoke.co.uk



Front Photo of Bespoke Made Louvre Panels
in Concrete Posts Timber Green Pressure Treated
Tanalised Softwood



Outdoor Joinery Specialists And Fencing Suppliers
"Traditional Standards With Modern Techniques"

CONTENTS

Why UNIQUE	Pages 1 - 2
Information	Page 3
Gate Hangings	Page 4
Measuring Gates Explained	Page 5
Treatments	Page 6
Pedestrian Gates	Pages 8 - 12
Courtyard Gates	Pages 14 - 18
Field Gates	Pages 20 - 22
Fence Panels and Trellis	Pages 24 - 27
Landscaping , Fencing, Ironmongery & Fixings	Pages 28 - 38

WHY UNIQUE?

Traditional Standards With Modern Techniques



At UNIQUE Bespoke LTD we offer exceptional customer service, and pride ourselves on our reputation we have within the industry and the work we have had the pleasure of completing to date.

We are constantly striving to stay up to date with the very latest news on timber treatments, as well as methods and tooling to help keep us at the very front of the pack.

We invest a lot of time and money in research and development to ensure we are consistent in our production of the quality outdoor joinery products that we have become known for.

Experienced

UNIQUE Bespoke LTD has a wealth of knowledge and experience in all aspects of design, joinery and construction, timber, and customer service.

We call upon all these key elements more and more every day to ensure we are offering the very best service and quality products we are known for.



Affordable Design

At UNIQUE Bespoke Ltd we like to work closely with you to ensure we fully understand your project. This allows us to then be able to do two things:

- To wherever possible exceed your expectations.
- Be mindful of your budget and be able to offer an affordable solution.

We have a variety of different options and products available to us to be able to help us achieve the above two points. This all helps us ensure your project can be completed to the highest possible standard, and come in on budget.



Environmentally Minded



Here at UNIQUE Bespoke Ltd we care about the environment and our impact on it. We ensure that all our suppliers are at a minimum a member of the FSC scheme. We then also go to great lengths to keep our waste to a minimum and recycle 95% of our waste.

For example we have agreements with local stables and livery yards for our shavings and sawdust, and off cuts of timber once unable to be used in our workshops are then used as fuel for enclosed log burners.



We are a proud member of the, "Think before printing" campaign, and are doing our best to cut down on the physical need for paper for our business. We are constantly looking for ways to lessen our impact on the environment.

UK Sourced Materials

Here at UNIQUE Bespoke Ltd we are extremely proud of the fact that we use local UK Sourced products. We are pleased to say that 97% of the goods we use and sell come from within a 100 mile radius of our workshop and yard.

This helps us have an excellent level of communication with our suppliers, cuts down our lead times, and also helps to booster the local economy.



Local Business



UNIQUE Bespoke Ltd is owned and run by two directors Rob and Mike. Being both local businessmen it was important to them to keep the company where they were brought up.

UNIQUE Bespoke LTD is based in the heart of the Essex countryside, and we are proud to be working with other local businesses and residents alike. We are members of Witham Chamber of Commerce. We also do our very best to help in the local community. When possible we attend and support local and county wide events throughout the year.

Information

More Than Just Made To Measure....

At UNIQUE we pride ourselves on all our joinery products being made to order with no products just simply called a stock item. We can therefore offer a truly one off manufacturing service to all items across the ranges. From sizes required and timber desired, to design changes and completely new commissions. We have got it all covered, and work closely with our customers to offer the best service and products available on the market at the moment.



where shown, can be made to measure

Stile Tops

Where it is indicated it is possible to have the tops of the stiles on the gates detailed to make your UNIQUE gates truly a one off. We can offer this service on the majority of our gates and are very pleased to offer this UNIQUE service to our customers.



Round Top



Square Top



Scroll Top



Two Way Top



1/2 Back Weather

Timber

Where indicated it is possible to have your joinery made from a range of different timbers. Popular timbers chosen for us to manufacture from are Soft Woods such as Pines, Oak, Iroko, Western Red Cedar and Accoya.



*Softwood**



*Oak**



*Iroko**



Western Red



*Accoya**

**Timber colours will vary depending on treatment process and species of timber.
Exact shades of colour in a natural product cannot be guaranteed.*


Gate Handings Explained

When ordering gates we will ask you to tell us what hand you wish the gate to be.

Below are some examples of the way we brace our gates for your reference.


We always ask for your handing as if you were stood on the outside of the gate.
(Viewed Externally) If you cannot give this information at point of order, it is possible to manufacture a gate with a universal handing. Gates over 1200mm wide will come with the triangle bracing as shown below unless stated otherwise at point of order.

It is important to get this right as the bracing helps the gate from dropping once installed.




Right Hand Hung

Viewed Externally



Left Hand Hung

Viewed Externally



Universally Hung

Viewed Externally



Roadside

Viewed Externally


Right Hand Hung Birds Eye View



Roadside

Viewed Externally

Left Hand Hung Birds Eye View



Viewed Externally

Courtyard Gate Bracing Example

Gates over 1200mm wide also braced as above

Measuring Gates Explained

When ordering gates we will ask you to confirm the size of the gate to us. We will require the size you wish the gate to be made to. The best way to do this is measure the total gap you have, and then to work out the size you need minus the space either side.

Below is an example and is intended as a guide only.

This may change depending on hinges being used, and if automation is being added.




Photo taken at our workshop

Treatment

Where it is indicated it is possible for our joinery products to be painted/treated in a range of different colours. Below are samples of the colours currently available from UNIQUE.

All products that are pre-painted will go through our 3 stage of spray applied paint/treatment procedure, in our dedicated treatment area, within the workshop and then go into our drying room.

This allows for all our pre-painted joinery to be prepared, sprayed and dried out to ensure the highest quality finish possible.

All treatments we use are from our supplier who we work very closely with. Bird Brand (R K & Jones Ltd) who are a very long and well established family run business operating out of Norfolk, UK. They are manufactures and distributors of quality wood care products across their selected network of companies throughout the UK and Europe.


*Nut Brown**




*Green Tanalised**



*Blue**



*Green**



*Ebony Black**



*Yellow**



*White**



**Colour shown may vary due to print*

*Bespoke made white
painted window boxes*



PEDESTRIAN GATES

UNIQUE's range of Pedestrian Gates encompasses a comprehensive range of styles and designs.



Bespoke made Lindsell
Framed Legged and Braced
Closeboard Gate in Brown

PEDESTRIAN GATES

UNIQUE's range of Pedestrian Gates encompasses a comprehensive range of styles and designs. All hand made in our workshop using the very latest joinery methods and techniques, to create a distinguished and impressive range of products, that offer privacy and security.



Contractor Framed Legged and Braced Closeboard Gate

A great value softwood framed legged and multi braced closeboard gate. Using a pressure treated 87x38mm redwood frame and a 125mm (5") pressure treated redwood feather edge. It offers great durability, practicality, security and amazing value for money. Available either handed or universally hung and with or without capping.

Finish Options



Standard



Framed Legged and Braced Premium Lindsell Closeboard Gate

This popular framed legged and multi braced close board gate, boasts a rebated frame, visual head and capping as standard. Constructed using modern joinery methods it is sympathetic to traditional designs. Made from 100x47 pressure treated rebated joinery grade softwood timber, clad with a 125mm (5") Pressure treated redwood feather edge, finished with a two way weathered capping if required. It offers great durability and security. Available handed or universal hung.

Finish Options



Standard



Framed Legged and Braced Ashen Tongue and Grooved Gate

This quality framed legged and multi braced gate, uses a 14.5x95mm tongue and grooved matching board, set into a rebated frame with a visual head and capping as standard. Constructed using modern joinery methods, it is sympathetic to traditional designs. Constructed from 100x47 rebated joinery grade softwood timber, capped with a two way weathered capping if required. All timbers are pressure treated so as to offer great durability and improved life expectancy. This gate offers great security, and privacy from its solid construction.

Finish Options



Standard



Timber Options





Framed Legged and Braced Rivenhall Swept Head Tongue and Grooved Gate

This ever popular design of framed legged and multi braced gate. With a hand cut and shaped sweeping head, uses a 14.5x95mm tongue and grooved matching board, set into a rebated frame. Constructed using modern joinery methods made from 100x47 stiles and a 150x47 head all rebated and from joinery grade softwood. All timbers are pressure treated so as to offer great durability and improved life span. This gate offers great security, and privacy from its solid construction, and great aesthetics from its detailed head and stiles. Available handed or universal hung.



Standard

Finish Options



Timber Options



Legged and Braced Marden Tongue and Grooved Gate

This handmade arched top pressure treated gate, constructed from 14.5x95mm tongue and grooved matching board on a frame work constructed from 95x27mm offers great durability, security and privacy. With its high arch its design offers that something a little different to conventional gates. Available handed or universal hung. All timbers are pressure treated so as to offer great durability and improved life span.

Finish Options



Standard



Ivy Cottage Gate

This classic garden gate, is constructed mainly from 14.5x95mm tongue and grooved matching board, frame work from 100x47 joinery grade timber and the added detail of vertical pales, this adds height whilst keeping a classic look. It maintains privacy to the lower but gives that open garden feel to the top. All timber is pressure treated, making this a very durable and strong gate. Available in handed or universal handings.

Finish Options



Standard



Timber Options





Gamblers Square Top Picket Gate

This country style gate offers traditional looks coupled with great durability and practicality. A softwood frame universally braced with flat top pickets fixed to face of frame. Constructed using a pressure treated 87x38mm redwood frame and 75x22mm Pressure treated redwood Picket pales.



Finish Options



Standard



Round Top Pickett shown

Contractor Picket Gate

This well known and recognisable gate offers great value for money. Made from a softwood frame universally braced with pickets fixed to face of frame. Constructed using a pressure treated 87x38mm redwood frame and 75x22mm Pressure treated redwood Picket. It offers superb value for money, great durability and practicality with all timber being pressure treated.

Pointed Top / Square Top / Round Top Picketts



Finish Options



Standard



Fratting Curved Top Picket Gate (Wicket)

This traditional country style gate offers a classic look, coupled with great durability and practicality. A softwood frame universally braced with shaped flat top pickets fixed to the face of the frame. Constructed using a pressure treated, 87x38mm redwood frame and 75x22mm Pressure treated redwood Picket pales.



Finish Options



Standard

Heavy Duty Birch Picket Gate



This well known and recognisable gate, offers a heavy duty frame using a 100x47 joinery grade softwood timber for the stiles and 27x95mm for bracing. With 75x15mm Pressure treated redwood Picket. All timbers are pressure treated so as to offer great durability and improved life expectancy. Constructed using UNIQUES modern joinery methods by hand to order.



Finish Options



Standard

Ivy Cottage Gate



This classic garden gate, is constructed mainly from 14.5x95mm tongue and grooved matching board, frame work from 100x47 joinery grade timber and the added detail of vertical pales, this adds height whilst keeping a classic look. It maintains privacy to the lower but gives that open garden feel to the top. All timber is pressure treated, making this a very durable and strong gate. Available in handed or universal handings.



Finish Options



Standard

Timber Options



Softwood Ivy Cottage Gates
Finished in Nut Brown Stain

COURTYARD GATES

UNIQUE's range of Courtyard Gates are all individually hand made and crafted in our workshop, in the heart of the Essex countryside




Iroko Ashdown Courtyard Gates
Treated by Customer

COURTYARD GATES

UNIQUE's range of Courtyard Gates encompasses a comprehensive range of styles and traditional designs. All hand made in our Essex workshop using the very latest joinery methods and techniques.

Chatsworth Courtyard Gate



Finish Options



Standard




Feather Edged Board



This competitively priced courtyard gate is based on the very popular Premium Lindsell gate. It offers an imposing style to suit any driveway or entrance. Normally used when needing to match in with close boarded fencing. This gate ticks all the boxes from quality to price. Constructed using modern joinery methods, in either a 100x47 or 100x75 framing, with bracing allowing for gates to be hung as a pair. Both options of framing and all timbers are pressure treated joinery grade softwood as standard. Clad with a 125mm (5") Pressure treated redwood feather edge.

Burghley Courtyard Gate



Finish Options



Standard



TGV




Timber Options



This quality square topped large version of the Ashen tongue and grooved Gate, is ideal for giving you privacy and security. Constructed using modern joinery methods, in either a 100x47 or 100x75 framing, with bracing allowing for gates to be hung as a pair. Both options of framing and all timbers are pressure treated joinery grade softwood as standard. Clad with a 14.5x95mm tongue and grooved matching board, set into the rebated frame. It is sympathetic to traditional designs and with its solid construction ensures it offers great durability and longevity.

Ashdown Courtyard Gate



Finish Options




Standard

Timber Options



The most popular of our courtyard gates is the Ashdown Courtyard Gate. Its elegant hand cut and shaped sweeping top and imposing size, lends itself to making a real statement to a driveway/entrance. It offers great privacy and security and with its construction, amazing durability whilst being sympathetic to traditional designs. Constructed using modern joinery methods, in either a 100x47 or 100x75 framing, with bracing allowing for gates to be hung as a pair. Both options of framing and all timbers are pressure treated joinery grade softwood as standard. Clad with a 14.5x95mm tongue and grooved matching board set into the rebated frame.

Eltham Courtyard Gate



Finish Options




Standard

Timber Options



The stylish hand cut and shaped curve of both leaves on the Eltham Courtyard Gate, coming together at a central high point makes a real statement to a driveway/entrance. It offers great privacy and security and with its construction, amazing durability whilst being sympathetic to traditional designs. Constructed using modern joinery methods, in either a 100x47 or 100x75 framing, with bracing allowing for gates to be hung as a pair. Both options of framing and all timbers are pressure treated joinery grade softwood as standard. Clad with a 14.5x95mm tongue and grooved matching board set into the rebated frame.

Wilton Courtyard Gate




Finish Options




Standard

Timber Options



The graceful drop down slope, that is hand cut and shaped to the centre of the Wilton Gates. It's imposing size lends itself to making a real statement to a driveway/entrance. It offers great privacy and security and with its construction, amazing durability, whilst being sympathetic to traditional designs. Constructed using modern joinery methods, in either a 100x47 or 100x75 framing, with bracing allowing for gates to be hung as a pair. Both options of framing and all timbers are pressure treated joinery grade softwood as standard. Clad with a 14.5x95mm tongue and grooved matching board set into the rebated frame.

Wentworth Courtyard Gate



Finish Options




Standard

Timber Options



This courtyard gate offers security while not compromising on great design. A more ornamental version of the very popular Ivy Cottage gate, with its hand cut and shaped vertical pales. It really makes a statement to a driveway/entrance. Constructed using modern joinery methods, in either a 100x47 or 100x75 framing, with bracing allowing for gates to be hung as a pair. Both options of framing and all timbers are pressure treated joinery grade softwood as standard. Clad with a 14.5x95mm tongue and grooved matching board set into the rebated frame.

Buscott Courtyard Gate



Finish Options



Standard

Timber Options



This quality larger version of the Rivenhall Swept Head Gate, is designed and conceived due to the Rivenhall's massive popularity. With a hand cut and shaped sweeping head, the Buscott Gate lends itself to making a real statement to a driveway/entrance. Its offers great privacy and security with amazing durability. Constructed using modern joinery methods, in either a 100x47 or 100x75 framing, with bracing allowing for gates to be hung as a pair. Both options of framing and all timbers are pressure treated joinery grade softwood as standard. Clad with a 14.5x95mm tongue and grooved matching board set into the rebated frame.



Softwood Ashdown Courtyard Gates.
Pressure Treated Finished in Tanalised Green

FIELD & ESTATE GATES


UNIQUE's range of Field and Estate Gates encompasses a comprehensive range of traditional and classic designs



Softwood Sparrows Field Gate
Pressure Treated Finished in
Green Tanalised

FIELD & ENTRANCE GATES


Sparrows Field Gate



This traditional 5 Bar timber field gate. With its traditional mortice and tennond construction, is sure to look just at home in a paddock or entrance to a field as it would to the drive of a country house or cottage. Constructed from pressure treated joinery grade redwood timber as standard to give these gates great durability.




Rayne Universal Field Gate



The Rayne Universal Field Gate is designed to be hung on either stile, and is also the tallest of all the field gates we have in this range. With its robust diagonal bracing and vertical detailing to the top bar, gives it great height. Hand made using traditional mortised and tennond joints constructed from pressure treated joinery grade redwood timber it gives these gates great durability.



Shenfield Field Gate



The Shenfield Field Gate is a popular gate for when safe guarding pets. With its 4 closely fitted rails and 6th spaced equally at the top, it is a popular option for driveways, paddocks and pet enclosures. Hand made using traditional mortised and tennond joints, and with a tapered top rail. Constructed from pressure treated joinery grade redwood timber, it gives these gates great durability, coupled with a UNIQUE design.



All above gates available with below options

Timber Options




Finish Options



Standard


Barnston Entrance Gate



This specially designed gate encompasses the popular design of the Shenfield Gate, but with the traditional appearance of a 5 bar field gate. This gate has been specifically designed to be used with automation. Its solid bottom rail, tapering top rail and bracing allows this to be used in conjunction with almost any automation system on the market to date. Constructed from pressure treated joinery grade redwood timber to give this gate great durability and longevity.




Bocking Entrance Gate



This imposing 5 Bar field gate with its large hand cut and shaped detailed hanging stile and tapered top bar. Is a very popular classic design. Traditionally used on drive way entrances. Constructed from joinery grade redwood timber pressure treated to give these gates great durability.



Dedham Entrance Gate



The Dedham Entrance Gate is a 5 bar field gate with a modern twist on its design. With its additional vertical and extended diagonal bracing adding to not only its design, it also aids with its reinforcing. Coupled with its large hand cut and shaped detailed hanging stile, and tapered top bar. This is proving to be a very popular design. Constructed from joinery grade redwood timber pressure treated to give these gates great durability.



All above gates available with below options

Timber Options



Finish Options



Standard

FENCE PANELS AND TRELLIS

UNIQUE offers a comprehensive and varied range of all types of fencing, screening and trellis



5ft Closeboard Panels in slotted concrete posts with a curved topped contractor Closeboarded gate all finished in nut brown.

FENCING, TRELLIS AND SCREENING

UNIQUE's vast and varied range of custom made fencing, trellis and screening, can be tailored and manufactured to fit with any design and specification. Below are a few of the classic designs, all hand made in our Essex workshop.

Closeboard Panel

This heavy duty classic closeboard panel is constructed from pressure treated redwood timbers. Made to order by hand in our workshop. Using a 75x32 rails and a 5" 125mm feather edge board finished off with a two way weathered capping. These panels are strong, durable and are built to withstand the winds and weather the UK has to throw at them. Available in all sizes and can be made to measure.



Reverse of 6 x 5 Closeboard Panel

Curved Closeboard Panel


This heavy duty Curved Closeboard panel is available in either convex or concave designs. (Convex Shown in image) Constructed from pressure treated redwood timbers. Made to order by hand in our workshop. Using a 75x32 rails and a 5" 125mm feather edge board finished off with a two way weathered capping. These panels are strong, durable and are built to withstand the winds and weather the UK has to throw at them. Available in all sizes and can be made to measure.



Reverse of 6 x 5 Closeboard Panel

Lap Panel

The UNIQUE lap panel is a very strong and sturdy well built example of the most recognisable of all fence panels found in the UK. It has a full frame to both sides, with five vertical supports to one side and on the reverse side three vertical supports. Finished off to the top edge with a two way weathered capping. It is made from pressure treated timber so as to make it a very durable and long lasting panel. Available in all sizes.



Reverse of 6 x 5 Lap panel

Downham Classic Trellis

The Classic Trellis is made by hand to order from a 19x38 pressure treated batten, it has an approx 150mm space. This is great for topping fences to allow for a little more height and privacy. It is equally as good installed near the flower beds and pots to trail your favourite plants through and up.



Finish Options



Standard



Elmdon and Surrex Lattice Trellis

These popular lattice designs on offer from UNIQUE are perfect for that added bit of privacy and screening or added security to the top of fence lines and walls. Constructed from pressure treated timber, they offer great durability and design to any area.



Finish Options



Standard



Pentlow Privacy Trellis

The Privacy Trellis is made by hand to order from a 19x38 pressure treated batten, it has an approx 75mm space. This is great for topping fences and offers amazing privacy and adds extra height where needed.



Finish Options



Standard



Ovington Curved Top Trellis




Convex Shown

The Curved Top Trellis is made by hand to order from a 19x38 pressure treated batten, it has an approx 150mm space or can be made with a privacy space of approx 75mm. This is great for topping fences to allow for a little more height and privacy, and is also very popular for screening oil tanks and alike. It can be made with either a concave or convex curve and is capped and finished with a 7x38mm Flat Cap.

Finish Options



Stisted Sweeping Top Trellis



The Sweeping Top Trellis is made by hand to order from a 19x38 pressure treated batten, it has an approx 150mm space or can be made with a privacy space of approx 75mm. All finished off on top with a 7X38mm flat cap. This is great for topping fences to allow for a little more height and privacy, and is also very popular for

Finish Options



Framlingham Fan/Wall Trellis



Simple to erect this very popular product is a firm favourite for helping to cover walls and aid in the training of plants up fences and a like. Constructed from 19x38 pressure treated batten, it is both very durable and heavy duty.

Finish Options



LANDSCAPING , FENCING, IRONMONGERY & FIXINGS

UNIQUE offer a varied and ever growing range of fencing products and associated complementary products. From traditional closeboard fencing to the very latest in High Security Metal Palisade and Mesh Solutions.



Traditional Running Closeboard
Fencing Using Cant Rail 6ft High

UC4 Fence Posts (100x100 / 75x75)

Our Kiln Dried Redwood Brown pressure treated UC4 posts are all treated to BS EN 335:2013 and BS 8417:2011. This helps the longevity of the posts and protection from insect and fungal damage. Available in the following sizes.



	1.5m	1.8m	2.1m	2.4m	3.0m	3.6m
100x100 Sawn	✓	✓	✓	✓	✓	✱
75x75 Sawn	✱	✱	✓	✓	✱	✱

Gravel Board (150x22)


Timber Gravel Boards are used to prolong the life of your fence by ensuring your Panel/Feather Edge/Palisades do not come into ground contact. Available in the following sizes:



	1.8m	2.4m	3.0m
150x22 Sawn	✱	✓	✓

Arris Rail (75x75 2Ex)

Our Pre-Ended Scalloped Arris Rails are designed for use with traditional Closeboard Fencing. All Pressure treated brown Redwood timber, this ensures a good solid framework to which you can then nail your feather edge to. Available in the following sizes:



Plain Ended Arris Rail Shown

	2.4m	3.0m
75x75 2Ex Sawn	✓	✓

Cant Rail (47x125 2Ex)

Our Cant Rails are designed for use with traditional Closeboard Fencing. This flexible construction of fencing is a great alternative to Arris Rails. All Pressure treated brown Redwood timber, this ensures a good solid framework to which you can then nail your feather edge to. Available in the following sizes:



	2.4m	3.0m
47x125 2Ex Sawn	✓	✓

✓ Stocked

✱ Item To Order

- Not Available

Feather Edge (125x22 2Ex)

This traditional and versatile fencing method is great for ensuring a superb and long-lasting boundary/division. Our Brown Pressure Treated Redwood feather edge boards are Sap Treated and Kiln Dried to ensure maximum treatment and stability of every board. Available in the following lengths:



	900mm	1050mm	1200mm	1350mm	1500mm	1650mm	1800mm	2100mm	2400mm
125x22 2Ex Sawn Feather Edge	✓	✓	✓	✓	✓	✓	✓	✓	✱

Capping (65x38 / 47x22)

Timber Capping provides an attractive and practical solution to water egress into the tops of feather edge boarding. The two way weather helps the water to shed off the top of the fence. When used with a counter rail they also dramatically increase the overall strength of the fence. All Redwood pressure treated Brown for longevity, they are available in the following sections and lengths:



	1.8m	3.0m
65x38 Two Way Weather Fence Cap	✱	✓
47x22 Two Way Weather Panel Cap	✓	-

Counter Rail (42x38)

This is used to allow for the fixing of the 65x38 Capping. Fixed to the very top of a closeboard fence, this then allows for the capping to be fixed to the top of it. This greatly increases the strength of the fence. All pressure treated redwood timber for durability and longevity. Available in the following length:



	2.4m	3.0m
47x125 2Ex Sawn	✓	✓

✓ Stocked

✱ Item To Order

- Not Available

Wall Plate (100x47)

Timber Wall Plates are used to start a fence line from a brick wall, and can also be used on brick work to hang a gate from. All our wall plates are Redwood Pressure Treated Brown.



	100x47 Sawn
1.8m	✓

Palisade/Pickets (75x22)

Palisade otherwise known as Picket Fencing is a traditional method of fencing that is not as imposing or limiting. Normally found in front gardens or around features such as ponds and swimming pools. It offers protection without interrupting views. All pressure treated Brown Redwood, available in the following lengths and tops:



	900mm	1200mm	1500mm	1800mm
Round Top	✓	✓	-	-
Pointed Top	✱	✱	✱	✱
Square Top	✱	✱	✱	✱

Fence Post (125x75)

Our Kiln Dried Redwood Green treated UC4 posts are all pressure treated to BS EN 335:2013 and BS 8417:2011. This helps the longevity of the posts and protection from insect and fungal damage. Available in the following sizes:



	1.8m	2.1m
125x75 Sawn	✱	✓

✓ Stocked

✱ Item To Order

- Not Available

Gate Posts

Our Kiln Dried Redwood UC4 Gate posts are all pressure treated to BS EN 335:2013 and BS 8417:2011. This helps the longevity of the posts and protection from insect and fungal damage. Available in the following sizes:



	2.1m	2.4m	3.0m	3.6m
125x125 Sawn 4 Way Weather	✱	✓	✱	✱
150x150 Sawn 4 Way Weather	✱	✓	✱	✱
200x200 Sawn 4 Way Weather	✱	✓	✱	✱

Birdsmouth Post (100x100)

Our Birdsmouth Posts or otherwise known as Knee Rail Posts, are all Kiln Dried Redwood Brown pressure treated UC4 posts to BS EN 335:2013 and BS 8417:2011. This helps the longevity of the posts and protection from insect and fungal damage. Available in the following sizes:

	900mm	1200mm	1500mm
100x100 Sawn	✓	✱	✱

We also stock Once Bent Knee Rail straps and can get both 75x75 & 100x100 rails to suit the above posts.

✓ Stocked

✱ Item To Order

- Not Available



900mm High Knee Rail Fencing
UC4 100x100 Posts and Rails

New Softwood Sawn Sleepers

New Softwood Sleepers are the most popular choice for landscapers and keen gardeners alike to use in their projects and gardens. Simple and effective in the building of everything from a raised bed to a retaining wall. All pressure treated Green Tanalised they offer fantastic value for money, and almost instant results and impact.



	100x200	125x250
2.4m	✓	✱

Decking

Decking is a popular, quick and cost effective way to create amazing outdoor areas to entertain and relax on. We have numerous options on the finish and type of decking, from both soft and hardwoods to Composites and Millboards®. We can also offer options on balustrading and stains
Below is a selection of softwood boards available:

	3.6m	4.2m	4.8m
Grooved and Reeded Pressure Treated 32x150 FS <27x144>	✓	✱	✓
Grooved and Reeded Pressure Treated 38x150 FS <33x144>	✱	✱	✱

✓ Stocked

✱ Item To Order

- Not Available



Grooved Pressure Treated 32x150
FS <27x144> Decking Boards

General Timbers

Our range of general timbers include, sawn pressure treated timbers, plywood, untreated timbers and stress grade constructional timber C16-24. They are available in a variety of lengths, sections and colour options, suited to match any project you may be undertaking, below is a small selection of what we can offer:

	1.8m		2.4m		3.6m		4.2m	
	Green	Brown	Green	Brown	Green	Brown	Green	Brown
87x38 Sawn	*	*	-	-	✓	✓	-	-
100x38 Sawn	-	-	-	-	*	*	-	-
100x47 Sawn	*	✓	*	*	*	*	*	*
150x47 Sawn	*	*	*	*	*	*	*	*

	2.4m	4.8m
50x22 <44x18> PSE Softwood Untreated	*	*
150x22 <144x18> PSE Softwood Untreated	*	*

	12mm Thick	18mm Thick
Plywood 2440x1220mm Elliotis C Grade	*	*
Plywood 2440x1220mm Hardwood Faced	*	*

✓ Stocked

* Item To Order

- Not Available



Site Hoarding

Stock Fencing, Wire Netting and Weld Mesh Fencing

We are able to offer a wide range of Netting and Mesh fencing options. With everything from livestock fencing for keeping animals in or out. To flexible netting and wire mesh options. All Galvanised with a variety of heights, mesh sizes and gauges, we are sure we will be able to offer the right solution no matter what the project. Below is a list of popular sizes:

Stock Fencing 50m - 100m Rolls

BS EN10223-5:2012
C8/80/15
HT8/80/15
L10/12/15 (Dog Wire)

Wire

Barbed Wire BSEN 10223-1:199
-HT1.6mm Galv 200 Meters
-Mild 2.5m Galv 200 Meters
Plain Wire 1/2Kg - 5Kg - 10Kg - 25Kg Coils
-Mild 1.25/1.6/2.0/2.5/3.15/4.0mm
-HT 2.5 / 3.15mm

Rabbit Wire 50m Roll

BS EN10223-2:2012 (Opti Galv)
31x1x900 / 31x1x1050 / 31x1x1200

Weld Mesh

BS EN10223-4:2012
Mesh Sizes: 25x25 & 50x50
Roll Heights: 900mm & 1200mm
Roll Lengths: 6m & 30m

Don't forget to ask about our range of Fencing Clips, Hog Rings and Wire Netting Fasteners.



Chainlink Fencing

Chainlink is a cost effective and durable solution to fencing in an area or defining a boundary. It is ideal for both security and pet fencing. We are able to offer Chainlink in the below heights, also all our Chainlink rolls come with Line Wire Included. Custom heights can also be manufactured if needed.

	900mm	1200mm	1400mm	1800mm
Galv Core / Green PVC Coated 3.15/2.25mm	*	*	*	*
Galv Core / Black PVC Coated 3.15/2.25mm	*	*	*	*
Galvanised 3mm	*	*	*	*

Angle Iron to Suit Chainlink Fencing

All our Angle Iron posts come complete with everything you will need. All corners, Ends and Two Way Staining posts come with all bolts, winders, stretcher bars and struts included. Below are some options available, we are also able to supply gate posts to act as ends and cranked tops for barbed wire etc.

	1.5m to Suit Roll Height 900mm	1.8m to Suit Roll Height 1200mm	2.0m to Suit Roll Height 1400mm	2.4m to Suit Roll Height 1800mm
Intermediate 40 x40x3mm Black	-	*	*	*
Intermediate 40 x40x5mm Black	*	*	-	*
Corner Staining Post 40x40x5mm Black	*	*	*	*
Corner Staining Post 50x50x6mm Black	*	*	-	*
End Straining Post 40x40x5mm Black	*	*	*	*
End Straining Post 50x50x6mm Black	*	*	-	*
Two Way Straining Post 40x40x5mm Black	*	*	*	*
Two Way Straining Post 50x50x6mm Black	*	*	-	*

Don't forget to ask about our range of Fencing Clips, Hog Rings and Wire Netting Fasteners.

✓ Stocked

* Item To Order

- Not Available




PVC Green Coated 3.15/2.25mm
Chainlink With Access Gate

Metal Palisade, Railings and Security Mesh Fencing Systems

We are pleased to be able to offer various options and solutions from decorative railings for the front of your Victorian property, to high level security fencing around your yard or compounds. Offering nationwide delivery we are sure to be able to offer you a practical cost effective solution to any project. This is a small range of what we can offer below:

- Steel Palisade
- Bow Top and Decorative Metal Railings
- Estate Fencing
- V-Guard and Twin Guard




Fixings

Our vast and varied range of fixings have been specifically chosen and designed to meet our customers requirements and chosen to meet your expectations. With everything from BZP woodscrews, Landscaping Screws and hidden Deck fixing solutions, to Masonry fixings such as Thunderbolts and Hammer Fixings. Below is just a small selection of what is currently available.



Ironmongery

Our full range of ironmongery in a selection of finishes and styles, will compliment and offer superb performance for you new gates for years to come. With options on latches and hinges as well as locks the choice really is yours. Below is only a small selection of the most popular products, we have so much more to offer than just these and are constantly building this great range to go with our UNIQUE products.



Treatments and Stains

Our range of treatments have been chosen for their versatile and high performance nature. Whether you are simply revamping an old fence or shed for the summer, or giving your gates and or garden structures a re-treat . Our superb environmentally friendly water based treatments will have you covered. All suited to both spraying and brush applications.
For more information please go to Treatment section.

Storing and aftercare

We take every possible step we can to minimize the risk of movement of our products. We take great care in the storing and stacking of the timber when in our yard and workshop. There are a few things to be aware of when you get your products home, that will follow on from our care to reduce the risk of the timber moving while it weathers in.

- **Stacking** - If timber is to be stacked please use sticks to separate products, and place on timber bearers on the floor. Ensure sticks and bearers are all in line. This is to maximise airflow.
- **Leaning against walls**- If this has to be done please ensure the products weight is evenly distributed. This is particularly important with gates and panels.

Gate Installation

When installing our gates, please ensure that a minimum of two sliding bolts are used and a central latch. If hanging as a pair use a drop bolt to the bottom of both leaves. They will need to be kept shut and bolts in a locked position when not in use, for at least 60 days from installation. This is to allow the timber to weather in and settle, by doing this you greatly reduce the risk of movement and dropping of gates. After 6-12 months treatment should be applied to the gates.

Timber Information

Timber is a natural product and as such is prone to movement. Timber will swell, shrink, split and twist. This is especially common when using pressure treated soft wood products. The location of the products i.e south facing etc. will have an effect on this. Not all products will encounter this, and this is not a failing in the product, and we cannot be held responsible for movement, shrinking, expansion and shaking (timber cracks) of our products.



We reserve the right to withdraw or change any product detail on any item in this publication at any time. All goods are sold as per our standard terms and conditions of sale.

A copy of these are available on request.